

GOVERNMENT OF ANDHRA PRADESH
A B S T R A C T

R&B – Construction of bridge across Upputeru drain at Lakshmipuram
– Allowance of Tender percentage on observed data – Orders –
Issued.

TRANSPORT, ROADS & BUILDINGS (R.I) DEPARTMENT

G.O.Rt.No.

Dated:19. 12.2008.
Read the following:

1. Representation of Nagabhushanam & Co. Dt: 11.12.2007.
2. Govt. Memo No.18516/R.I(2)/08, Dt: 12.12.07 & 27.12.08
3. From C.E.(R&B) NABARD Lr.No.317/ DCE(N)/ DEE1/AEE2/
2008, Dt:05.02.2008.
4. Govt. Memo No.18516/R.I(2)/08, Dated: 16.04.2008.
5. From C.E.(R&B) NABARD Lr.No.1289/ DCE(N)/ DEE1/AEE2/
2008, Dated:18.08.2008.

ORDER:

In the representation 1st read above, the contracting agency has represented that, for the subject work the Supplemental Agreement had been concluded duly incorporating Tender Premium based on 2004-05 to the effect, the actual work was carried out during 2005-06 and beyond due to which overall construction costs have increased abnormally due to rise in construction costs and they have been paid reduced overheads, machinery hire charges and deleting contractor's profit and LA and LI and requested for payment of the following:

i) Overheads @ 25% including 10% contractors profit for all observed data items.

ii) To permit proper ownership costs/hire charges including interest and O&M charges on the equipment deployed at site to carryout observed data items.

iii) Payment to be made on observed data items prepared with current relevant SSR at the time of actual execution.

iv) To allow element of 13% towards labour importation and labour amenities.

2. In the letter 5th read above, the C.E.(R&B) NABARD, while furnishing certain information has requested to issue further instructions.

3. Government after careful examination of the matter here by consider the request of the contracting agency and direct the Chief Engineer (R&B) NABARD to pay the following to the contracting agency:

a) To pay by revising the approved observed rates/datas with relevant SS Rates prevailing at the time of actual execution, wherever SS rates are adopted in arriving at observed rates.